



Brighton and Hove Clinical Commissioning Group
 High Weald Lewes Havens Clinical Commissioning Group
 Brighton and Sussex University Hospitals NHS Trust

JOINT FORMULARY
APPENDIX 2 – STOMA CARE ACCESSORIES
[Formulary home page](#)

Non-Specialist Drugs	Specialist Initiation WITHOUT Shared Care Guidelines	Specialist Initiation WITH Shared Care Guidelines	Specialist ONLY Drugs
Suitable for <u>non-specialist</u> initiation.	For specialist initiation or recommendation only and specific on going monitoring (if required) but can then be prescribed by a GP <u>without</u> a shared care guideline.	For specialist initiation only and specific on going monitoring but can then be prescribed by GP <u>with</u> a shared care guideline.	For initiation and continuation (including monitoring) by a <u>specialist</u> only.

The Brighton and Hove CCG Stoma Care Accessories formulary is not retrospective.

There will be some patients on a named patient basis that will require products outside of the formulary to manage complex problems or sensitivity to product.

If a patient is requesting items which they have not been prescribed before or you have concerns, please contact your patient's Stoma Care Clinical Nurse Specialist for further advice and guidance.

They can be contacted via email at bsu-tr.stomacaredepartment@nhs.net

[Click here to see the PIL on ordering products](#)

RETROSPECTIVE PRESCRIPTIONS [Click here to see the letter sent to DACs](#)

Device appliance contractors (DACs) may supply appliances direct to the patient BEFORE the prescriber has issued a prescription. This arrangement is a **breach of terms of service** by appliance contractors. This may lead to medico-legal issues when GP practices receive retrospective prescription requests from appliance contractors and anecdotally it has led to excessive supplies of appliances being issued to patients on a 'standing order' basis.

A2.1	Adhesive Discs/Rings/Pads/Plasters/Flange Extenders/Retention Strips
A2.2	Adhesives (Pastes, Sprays, Solutions)
A2.3	Adhesive Removers (Sprays, Liquids, Wipes)
A2.4	Pouch Closures
A2.5	Pouch Covers
A2.6	Belts
A2.7	Colostomy Pouches - see also Two Piece Ostomy Systems
A2.8	Colostomy Sets
A2.9	Deodorants and Lubricating Gels
A2.10	Discharge Solidifying Agents
A2.11	Filters/Bridges
A2.12	Flanges
A2.13	Ileostomy (Drainable) Pouches - see also Two Piece Ostomy Systems
A2.14	Ileostomy Sets
A2.15	Irrigation/Wash-Out Appliances
A2.16	Pressure Plates/Shield
A2.17	Skin Fillers and Protectives (Barrier creams, pastes, aerosols, lotions, gels, wipes)
A2.18	Skin Protectors (Wafers, blankets, foam pads, washers)
A2.19	Stoma Caps/Dressings
A2.20	Tubing and Accessories
A2.21	Two Piece Ostomy Systems
A2.22	Urostomy Pouches - see also Two Piece Ostomy Systems

Version Control

Date of revision	Sections reviewed	Contributors
12.2014	DEVELOPMENT	Kate Evans, Lead Stoma Care, CNS, BSUH.
04.2015	APC Approved	The Brighton APC
07.2017	APC Approved	APC, Jenny Williams, Stoma Care CNS and Kate Evans, Lead Stoma Care CNS, BSUH
05.2017	Amendments following the publication of NHSE guidance on conditions for which prescriptions could potentially be restricted	
		APC working group

Resources: Stoma prescribing guidelines. Increasing the understanding of stoma care within primary care. Julie Oxenham. Hollister 2014.
 Stoma care accessories formulary. Dr Terri Porrett Coloplast 2013.

Available to buy Over The Counter. See policy statement for more info.	Non-Specialist Drugs	Specialist Initiation WITHOUT Shared Care Guidelines	Specialist Initiation WITH Shared Care Guidelines	Specialist ONLY Drugs
--	-----------------------------	---	--	------------------------------

A2.1 Adhesive Discs/Rings/Pads/Plasters/Flange Extenders/Retention Strips ([Back To Top](#))

<p>Salts Secuplast Hydro Aloe Code SPHA2</p>	<p>Pack of 30</p>	<p>Hydrocolloid based flange extenders reduce the risk of the development of other peristomal skin problems (Smith et al, 2007). Flange extenders increase wear time, protecting the edges of the flange from disintegration (which may occur in hot weather and swimming). They provide extra security where there is erratic stomal function or a high output. Flange extenders can be useful when the contours of the abdomen are uneven and a larger adhesive area is required to prevent leakage.</p> <p style="text-align: center;">ESTIMATED USAGE</p> <p>60-90 extenders per 30 pouches/baseplates.</p>
<p>Ostomart Astoa Adhesive Flange Extenders Codes: Small AFES30 Large AFEL30 Wide AFEW30</p>	<p>Pack of 30 Pack of 30 Pack of 30</p>	

A2.2 Adhesives (Pastes, sprays, solutions) ([Back To Top](#))

<p>ConvaTec Stomahesive Paste Code S105</p>	<p>60g tube</p>	<p>Filler paste is used to prevent leakage and increase the wear time of an appliance by both acting as a filler to creases and scars or providing extra re- enforcement to the appliance hydrocolloid. Filler paste can be used with any patient who has skin creases or scars around the stoma (causing gullies through which faecal fluid or urine can leak). Pastes containing alcohol should not be applied to broken skin (Burch 2011a).</p> <p style="text-align: center;">ESTIMATED USAGE</p> <p>1-2 tubes of paste per 30 pouches/baseplates.</p>
<p>Pelican Paste Code 130101</p>	<p>100g</p>	

A2.3 Adhesive Removers (Sprays, Liquids, Wipes) ([Back To Top](#))

Adhesive Remover Spray

<p>Salts Wipe Away Adhesive Remover Code WAP</p>	<p>50 ml</p>	<p>Adhesive removers aid removal of the adhesive flange preventing damage to the skin from stripping of the epidermis, and also reduces pain and prevents altered barrier function due to a build-up of plaques of adhesive (Burch 2011, Cutting, 2006, Rudoni 2008). Adhesive spray removers should be used when patients have thin, friable skin (often seen with long term steroid use). In patients with dermatological conditions such as eczema or psoriasis, adhesive remover should be considered.</p> <p style="text-align: center;">ESTIMATED USAGE</p> <p>50-100mls of remover spray per 30 pouches/baseplates.</p>
<p>CD Medical Peel-Easy Spray Code 300714</p>	<p>50 ml</p>	

Resources: Stoma prescribing guidelines. Increasing the understanding of stoma care within primary care. Julie Oxenham. Hollister 2014.
Stoma care accessories formulary. Dr Terri Porrett Coloplast 2013.

	<p>Available to buy Over The Counter. See policy statement for more info.</p>	<p>Non-Specialist Drugs</p>	<p>Specialist Initiation WITHOUT Shared Care Guidelines</p>	<p>Specialist Initiation WITH Shared Care Guidelines</p>	<p>Specialist ONLY Drugs</p>
---	---	--	--	---	---

A2.3 Adhesive Removers (Sprays, Liquids, Wipes) continued [\(Back To Top\)](#)

Adhesive Remover Wipes

Salts Wipe Away Adhesive Remover Code WAP	Box of 30 wipes	See above Wipes can be more economical as one wipe is used per pouch change ESTIMATED USAGE 30-60 remover wipes per 30 pouches / baseplates.
CD Medical Peel-Easy Wipes Code 300715	Box of 30 wipes	

A2.4 Pouch Closures [\(Back To Top\)](#)

THESE ARE NON-FORMULAY.

Newer products have an integrated closure on drainable pouches. For older style pouches that use a separate clip then this is supplied with the pouches.

A2.5 Pouch Covers [\(Back To Top\)](#)

THESE ARE NON-FORMULAY.

The majority of pouches come with a fabric cover as an option. If patients wish to have additional covers, then these can be purchased by patients.

A2.6 Belts [\(Back To Top\)](#)

Coloplast Brava Belt Single hook Standard Code 0421 Xlarge Code 0422 Double hook Standard Code 0423 Xlarge Code 0424		Belts are often used in conjunction with a convexity appliance, or a 2-piece appliance to increase wear time, provide security and prevent skin excoriation (Vujnovich 2006). Patients who have an active life (work or hobbies) may require a belt to ensure the appliance remains in place during strenuous activity. ESTIMATED USAGE 2 belts for first order, then 1 belt for 3 months (belts can be washed)
Salts Ostomy Belt (standard 100cm) Code ABO1		

Resources: Stoma prescribing guidelines. Increasing the understanding of stoma care within primary care. Julie Oxenham. Hollister 2014.
Stoma care accessories formulary. Dr Terri Porrett Coloplast 2013.



Available to buy Over The Counter. See [policy statement](#) for more info.

Non-Specialist
Drugs

Specialist Initiation WITHOUT
Shared Care Guidelines

Specialist Initiation WITH
Shared Care Guidelines

Specialist ONLY
Drugs

A2.6 Belts continued ([Back To Top](#))

Hernia Support Belts - These items should be recommended by a Stoma Care Nurse after an assessment of need and measured and fitted by a trained fitter (Stoma Care Nurse/Trained fitter).

OstoMart Hi –Line Range

Sash
HB102

Supportx

Range of belts and girdles (come in various sizes, colour and support levels)

Support garments provide support to the abdominal wall and are useful in those with a parastomal hernia as they relieve symptoms such as pain, discomfort and also prevent an increase in hernia size (Thompson 2008, McGrath & Johnson 2005). They are used as a supportive/preventative measure in those who undertake heavy manual work, as the use of a support garment can reduce the incidence of parastomal hernia (Thompson 2008). Each patient review should include discussion regarding the most appropriate garment i.e. belt or support underwear, as this will aid compliance with regular use of the support garment.

ESTIMATED USAGE.

Amount needed for 1 year: Initially one garment to ensure a correct fit, comfort and concordance. Then 1-2 more support belts. If fitted for support pants then for 1-5 more garments. If there is weight gain or loss the belt will need to be refitted and further items prescribed.

Specialist Discretionary Underwear

THESE ARE NON-FORMULAY.

These **are not** for hernia support. These garments are underwear that may have an internal pocket to aid discretion and give confidence. They are available to be purchased by patients. Please contact stoma care CNS for further information if required.

A2.7 Colostomy Pouches - see also Two Piece Ostomy Systems ([Back To Top](#))

No preferred brand of pouch has been identified, as the nature of these products are patient specific. Please refer to the [CCG Stoma Prescribing Guidelines](#) for appropriate usage.

A2.8 Colostomy Sets ([Back To Top](#))

No preferred brand of set has been identified, as the nature of these products are patient specific. Please refer to the [CCG Stoma Prescribing Guidelines](#) for appropriate usage.

A2.9 Deodorants and lubricating gels ([Back To Top](#))

Deodorants



THESE ARE NON-FORMULAY.

Deodorisers can be purchased if needed. If odour is perceived as a problem, please contact Stoma Care CNS for further information if needed.

Resources: Stoma prescribing guidelines. Increasing the understanding of stoma care within primary care. Julie Oxenham. Hollister 2014.
Stoma care accessories formulary. Dr Terri Porrett Coloplast 2013.



Available to buy Over The Counter. See [policy statement](#) for more info.

**Non-Specialist
Drugs**

**Specialist Initiation WITHOUT
Shared Care Guidelines**

**Specialist Initiation WITH
Shared Care Guidelines**

**Specialist ONLY
Drugs**

A2.9 Deodorants and lubricating gels continued ([Back To Top](#))

Lubricating Gels

THESE ARE NON-FORMULAY.

Lubricating the inside of the pouch can sometimes prevent 'pancaking' of stool. Baby oil, olive oil etc. can be used to aid lubrication. Please contact Stoma Care CNS for further information if required.

A2.10 Discharge Solidifying Agents ([Back To Top](#))

Clinimed Morform

Code 3837

Box of 60 tablets

Opus Absorbagel

Code 9900

Box of 150 tablets

Thickening agents are used to thicken ileostomy output reducing frequency of emptying the appliance and making the output more manageable for example for a high output ileostomy. They can be in the form of granules or gel powders

ESTIMATED USAGE

1-3 tablets into drainable pouch as needed depending on consistency (90-720 sachets per month).

A2.11 Filters/Bridges ([Back To Top](#))

THESE ARE NON-FORMULARY.

Not routinely used as pouches have integral filters. If needed this would be on a patient named basis.

A2.12 Flanges ([Back To Top](#))

No preferred brand of flanges has been identified, as the nature of these products are patient specific. Please refer to the [CCG Stoma Prescribing Guidelines](#) for appropriate usage.

A2.13 Ileostomy (Drainable) Pouches - see also Two Piece Ostomy Systems ([Back To Top](#))

No preferred brand of pouch has been identified, as the nature of these products are patient specific. Please refer to the [CCG Stoma Prescribing Guidelines](#) for appropriate usage.

A2.14 Ileostomy Sets ([Back To Top](#))

No preferred brand of set has been identified, as the nature of these products are patient specific. Please refer to the [CCG Stoma Prescribing Guidelines](#) for appropriate usage.

Resources: Stoma prescribing guidelines. Increasing the understanding of stoma care within primary care. Julie Oxenham. Hollister 2014.
Stoma care accessories formulary. Dr Terri Porrett Coloplast 2013.



Available to buy Over The Counter. See [policy statement](#) for more info.

Non-Specialist
Drugs

Specialist Initiation WITHOUT
Shared Care Guidelines

Specialist Initiation WITH
Shared Care Guidelines

Specialist ONLY
Drugs

A2.15 Irrigation/Wash-Out Appliances ([Back To Top](#))

<p>Dansac Colostomy Irrigation Set Irri-drain with ring holder Code 950-20 Silicone ring Code 09547-0000 Irri-drain adhesive Code 950-35 Water container Code 95200-0000 Clamp Code 95210-0000 Cone Code 95205-0000 Brush Code 95220-0000 Tube Code 95215-0000</p>	<p>Pack of 20 Pack of 20 Pack of 50</p>	<p>Recommend prescribing these items with Stoma Care CNS guidance.</p> <p>Colostomy irrigation is a technique which washes out the bowel to regulate bowel habit. Patients have a 'continent stoma' for long periods (up to 24-48 hours following the procedure).</p> <p>Irrigation is suitable for patients with a permanent, end colostomy and can improve quality of life for those who choose to use it. Will normally use a Stoma Cap between washouts.</p>
<p>Coloplast Colostomy Irrigation Set Irrigator Pouch Code 1511 Pressure plate Code 1110 Colotip Code 12820 Disposable sleeve 60mm Code 12836 40mm Code 12834</p>	<p>30 sleeves 30 sleeves</p>	

A2.16 Pressure Plates/Shield ([Back To Top](#))

<p>Ostomart OstoShield without belt Code Res50</p> <p>OstomShield belt Small/Med Code Res 40 Large/Xlarge Code Res 45</p>		<p>These are protective shields used to protect the stoma when playing sport and need a belt to hold them in place. They can also be used to prevent a stoma prone to intermittent prolapsing from becoming larger and aids patient comfort and ability to cope.</p> <p style="text-align: center;">ESTIMATED USAGE</p> <p>Initially 1 shield and belt. 2-4 further belts may be required per year.</p>
---	--	--

Resources: Stoma prescribing guidelines. Increasing the understanding of stoma care within primary care. Julie Oxenham. Hollister 2014.
Stoma care accessories formulary. Dr Terri Porrett Coloplast 2013.



Available to buy Over The Counter. See [policy statement](#) for more info.

**Non-Specialist
Drugs**

**Specialist Initiation WITHOUT
Shared Care Guidelines**

**Specialist Initiation WITH
Shared Care Guidelines**

**Specialist ONLY
Drugs**

A2.17 Skin Fillers and Protectives (Barrier creams, pastes, aerosols, wipes) ([Back To Top](#))

Protective Powders

Respond Ostoseal Powder Code ABP1	25g bottle	Protective powder is used in the treatment of mucocutaneous separation or for macerated skin. Applied to wet and excoriated skin it promotes wound healing and enhances pouch adhesion (Vujnovich 2006). ESTIMATED USAGE FOR ACUTE USE ONLY. Amount needed for treatment is 25g bottle.
Convatec Orahesive Powder Code S106	25g bottle	

Barrier Creams

Barrier creams are **not normally used** in stoma care as they can impact on adhesion of pouch.

Protective Paste

Convatec Orabase Paste Tube Code S103	30g tube	A protective paste is used to protect peristomal skin and to heal skin or mucosal ulceration. Paste can be used to treat mucotaneous separation (Burch 2011). ESTIMATED USAGE 1-2 tubes of Orabase - generally for short term use .
--	----------	---

Barrier Wipes and Sprays

Salts Peri Prep No Sting Protective Film Wipe Code PPS1	Box of 30 wipes	Non sting barrier films protect the skin against faecal or urinary contact dermatitis. It protects fragile skin from constant stripping of adhesive. (Burch 2011, 2011a, McGrath & Johnson 2005, Grove & Leyden 1993). NB. We do not recommend Cavilon sticks or spray as a stoma care product due to cost, except for pre-term babies, neonates and paediatrics where Cavilon Sticks are the preferred choice. Code 3343P. ESTIMATED USAGE 1 per pouch/baseplate change. Normally for short term use .
Medline Sureprep No Sting Barrier Film		
Foam applicator stick 1ml Code MSC1510	Box of 25	
Barrier wipe Code MSC1510	Box of 50	

Resources: Stoma prescribing guidelines. Increasing the understanding of stoma care within primary care. Julie Oxenham. Hollister 2014.
Stoma care accessories formulary. Dr Terri Porrett Coloplast 2013.

 Available to buy Over The Counter. See policy statement for more info.	Non-Specialist Drugs	Specialist Initiation WITHOUT Shared Care Guidelines	Specialist Initiation WITH Shared Care Guidelines	Specialist ONLY Drugs
--	-----------------------------	---	--	------------------------------

A2.18 Skin Protectors (Wafers, blankets, foam pads, washers) (Back To Top)		
Hollister Adapt Barrier Rings Small Code 7805 Large Code 7806 Slim Code 7815	Box of 10 Box of 10 Box of 10	Seals or rings are used to prevent leakage and increase wear time by acting as a filler to creases or providing extra reinforcement to the appliance hydrocolloid (Burch 2008, Vujnovich 2006). Large rings are rarely used in primary care but may be required in management of complex fistulae. ESTIMATED USAGE 1 ring per pouch/baseplate.
Coloplast Brava Protective Seal <u>2.5mm</u> 18-48mm Code 12035 27-57mm Code 12037 34-64mm Code 12039 <u>4.2mm</u> 18-48mm Code 12045 27-57mm Code 12047 34-64mm Code 12049	Box of 30	
Brava Coloplast Strip Paste Code 2655	Pack of 10	A mouldable paste can be easier to use for some patients compared to the traditional tube pastes or barrier ring ESTIMATED USAGE Up to one to two strips per pouch/baseplate.
A2.19 Stoma Caps/Dressings (Back To Top)		
Stoma Caps		
No preferred brand of stoma caps has been identified, as the nature of these products are patient specific. Please refer to the CCG Stoma Prescribing Guidelines for appropriate usage.		
Coloplast Assura conseal Plug 35 mm Code 1435 or 1445 45 mm Code 1485 or 1495	Box of 10 Box of 10	Can be used by patients with an end colostomy with a regular bowel habit. The plug is inserted into the stoma to give several hours of continence. ESTIMATED USAGE 1-2 per day.
A2.20 Tubing and Accessories (Back To Top)		
No preferred brand of collector has been identified as the product required is dependent on which pouch is used. High output collectors aid patient management and security at night with a high output ileostomy or a high output fistula.		
A2.21 Two Piece Ostomy Systems (Back To Top)		
No preferred brand of system has been identified, as the nature of these products are so patient specific. Please refer to the CCG Stoma Prescribing Guidelines for appropriate usage.		
A2.22 Urostomy Pouches - see also Two Piece Ostomy Systems (Back To Top)		
No preferred brand of pouch has been identified, as the nature of these products are so patient specific. Please refer to the CCG Stoma Prescribing Guidelines for appropriate usage.		

Resources: Stoma prescribing guidelines. Increasing the understanding of stoma care within primary care. Julie Oxenham. Hollister 2014.
Stoma care accessories formulary. Dr Terri Porrett Coloplast 2013.

 Available to buy Over The Counter. See policy statement for more info.	Non-Specialist Drugs	Specialist Initiation WITHOUT Shared Care Guidelines	Specialist Initiation WITH Shared Care Guidelines	Specialist ONLY Drugs
--	-----------------------------	---	--	------------------------------