



Brighton and Hove Clinical Commissioning Group
 High Weald Lewes Havens Clinical Commissioning Group
 Brighton and Sussex University Hospitals NHS Trust
 Sussex Community NHS Foundation Trust

JOINT FORMULARY
APPENDIX 4 – WOUND MANAGEMENT PRODUCTS AND ELASTICED GARMENTS
[Formulary home page](#)

Non-Specialist Drugs	Specialist Initiation WITHOUT Shared Care Guidelines	Specialist Initiation WITH Shared Care Guidelines	Specialist ONLY Drugs
Suitable for <u>non-specialist</u> initiation.	For specialist initiation or recommendation only and specific on going monitoring (if required) but can then be prescribed by a GP <u>without</u> a shared care guideline.	For specialist initiation only and specific on going monitoring but can then be prescribed by GP <u>with</u> a shared care guideline.	For initiation and continuation (including monitoring) by a <u>specialist only</u> .

This formulary is designed to provide practitioners with the appropriate dressings to manage a variety of wounds and at the same time rationalising the cost of dressing materials to the Local Health Economy. If you wish to make any suggestions for future versions, please contact the Tissue Viability Team at Sussex Community NHS Foundation Trust.

Brighton and Hove CCG: SC-TR.TissueViabilityNurses-Brighton@nhs.net

High Weald Lewes Havens CCG: SC-TR.HWLHtissueviability@nhs.net

Eating for wound healing resources

- Food as Treatment patient information leaflet: <https://www.gp.brightonandhoveccg.nhs.uk/file/8156> - more information about making homemade drinks with the equivalent protein and energy content as prescribable products
- Food as Treatment Nourishing Drinks and Dessert Recipes: <https://www.gp.brightonandhoveccg.nhs.uk/file/18786> - new recipe leaflet to support the Food as Treatment leaflet
- Nutrition and Hydration Resource Pack for Care Homes: <https://www.gp.brightonandhoveccg.nhs.uk/file/760> - for care homes, with info about Food as Treatment, Oral health, swallowing difficulties, dementia and hydration

- Numbers in () are the pack size.
- Use the smallest size suitable for the size of the wound to avoid waste and maceration of the surrounding tissue. The active part of the dressing should extend 1-2cm beyond the wound.
- Cut flat sheets to shape around awkward areas (e.g. the heel) rather than choosing a shaped product whenever possible.

A4.1	Basic wound contact dressings
A4.2	Advanced wound dressings
A4.3	Antimicrobial dressings
A4.4	Specialised dressings
A4.5	Adjunct dressings and appliances
A4.6	Complex adjunct therapies
A4.7	Wound care accessories
A4.8	Bandages
A4.9	Compression hosiery and garments
A4.10	Wound cleansing and skin products


Version Control

Date of revision	Sections reviewed	Contributors
12.2015	DEVELOPMENT	SCT and BHCCG
05.2016	ALL	Approved by the Brighton APC
05.2018	Amendments following the publication of NHSE guidance on conditions for which prescriptions could potentially be restricted	APC working group
07.2019	ALL	Valerie Dowley, Susan Martin, Approved by the Brighton APC


Ctrl-f will activate the search window.

Available to buy Over The Counter. See policy statement for more info.	Non-Specialist Drugs	Specialist Initiation WITHOUT Shared Care Guidelines	Specialist Initiation WITH Shared Care Guidelines	Specialist ONLY Drugs
<p>KEY: CN = Community Nurse, NH = Nursing Home, CN / NH / LU = TVN approval needed, LU = Leg Ulcer Clinic, X Specialist Only, X Non-formulary</p>				


A4.1 Basic wound contact dressings (Back To Top)						
A4.1.1 Low adherence dressings						
Name	Size	PIP Code	CN	NH	LU	Notes
N-A Ultra®	9.5cm x 9.5cm (40) 19cm x 9.5cm (25)	259-0990 230-4095	CN	NH	LU	To provide a non-adhesive wound contact layer where other dressings are causing trauma on removal, use an N-A or Atrauman dressing.
Atrauman®	5cm x 5cm (50)	281-3012	CN	NH	LU	
	7.5cm x 10cm (50)	281-3038	CN	NH	LU	
	10cm x 20cm (30) 20cm x 30cm (10)	281-3046 324-8697	CN	NH	LU	
Mepitel® One	6cm x 7cm (5) 9cm x 10cm (5)	350-6888 350-6896	CN	X	LU	NA dressing only to be used where NA ultra or Atrauman is not suitable.
Silflex®	All sizes	HOSP ONLY	X	X	X	Not for SCFT or primary care use.
N-A Dressing®	All sizes	HOSP ONLY	X	X	X	Primary care alternatives are N-A Ultra/Atrauman. See above.
A4.1.2 Absorbent dressings						
For lightly exuding wounds						
Mepore® Island	7cm x 8cm (55)	284-2359	CN	NH	LU	1st line choice of simple dressing pad.
	10cm x 11cm (40)	284-2367	CN	NH	LU	
	11cm x 15cm (40)	284-2375	CN	NH	LU	
	9cm x 35cm (30)	092-5396	CN	X	LU	
Mepore® Ultra	7cm x 8cm (60)	337-7041	CN	X	X	Should only be used if patient is mobile and showering regularly.
	10cm x 11cm (36)	337-7033	CN	X	X	
	11cm x 15cm (36)	337-7058	CN	X	X	
Cosmopore E®	All sizes	HOSP ONLY	X	X	X	Primary care alternatives are Mepore Island. See above.
Leukomed® Control (BSN Medical)	All sizes	HOSP ONLY	X	X	X	Not for SCFT or primary care use
For moderately to heavily exuding wounds						
Kliniderm® Superabsorbant	10cm x 10cm (10)	394-7132	CN	NH	LU	Use to maintain a moist environment and effectively manage heavy exudate or large cavity wounds. Can be used under compression (ensure you measure ankle circumference before and after application of pad to confirm correct compression bandage size)
	10cm x 15cm (10)	394-7124				
	10cm x 20cm (10)	410-0087				
	20cm x 20cm (15)	394-7157				
	20cm x 30cm (10)	394-7165				
	20cm x 40cm (10)	404-9508				
Zetuvit® Sterile	10cm x 10cm (25)	322-7618	CN	NH	LU	Sterile utility pad for low to moderately exuding wounds. Not for under compression bandages. May need primary dressing and securing to skin.
	10cm x 20cm (25)	322-7584				
	20cm x 20cm (15)	322-7592				
	20cm x 40cm (10)	322-7600				
Zetuvit® E	20cm x 20cm (50)	328-6101	CN	NH	LU	Non-Sterile. Use to mop up exudate outside compression or retention bandages.
	20cm x 40cm (30)	328-6119				
Kerramax Care® pads	All Sizes	HOSP ONLY	X	X	X	Not for SCFT or primary care use

	Available to buy Over The Counter. See policy statement for more info.	Non-Specialist Drugs	Specialist Initiation WITHOUT Shared Care Guidelines	Specialist Initiation WITH Shared Care Guidelines	Specialist ONLY Drugs
KEY: CN = Community Nurse, NH = Nursing Home, CN / NH / LU = TVN approval needed, LU = Leg Ulcer Clinic, X Specialist Only, X Non-formulary					

A4.2 Advanced wound dressings (Back To Top)						
A4.2.1 Hydrogel dressings						
<ul style="list-style-type: none"> • Must NOT be used on a patient with diabetes or peripheral vascular disease as risk of infection may be increased in this group of patients. • To re-hydrate necrotic tissue, or haematoma or dry slough tissue, the surrounding tissue may need to be protected with a barrier film to prevent maceration. • Prior to rehydrating tissue consider the vascular status of the patient and their ability to heal. If you have any concerns please refer to tissue viability before attempting rehydration. 						
Kerralite® Cool	6cm x 6cm (5) 12cm x 8.5cm (5)	379-3452 379-3437	CN	NH	LU	Use on dry / necrotic wounds. (Not ischaemic or diabetic wounds). Will need a secondary dressing. TVN approval needed for use in a nursing home.
Kerralite® Cool Border	8cm x 8cm (5) 11cm x 11cm (5)	397-3429 397-3411	CN	NH	LU	Use on dry / necrotic wounds. (Not ischaemic or diabetic wounds). Will not need a secondary dressing. TVN approval needed for use in a nursing home.
Intrasite® Gel	8g sachet (10)	210-2929	CN	NH	LU	Use for dry / necrotic wounds.
Hydrogel	All sizes	HOSP ONLY	X	X	X	Primary care alternatives are Intrasite Gel, KerraLite Cool & KerraLite Cool Border. See above.
Hydrogel (ActivHeal®)	All sizes	HOSP ONLY	X	X	X	Not for SCFT or primary care use
A4.2.2 Vapour-permeable films and membranes						
Use for low exuding wounds						
Tegaderm®	6cm x 7cm (100)	003-8497	CN	NH	LU	Transparent film dressing
	12cm x 12cm (10)	242-8951	CN	NH	LU	
	15cm x 20cm (10)	003-8703	CN	NH	X	
Opsite® Plus	6.5cm x 5cm (25)	349-6544	CN	NH	LU	Transparent film dressing
	8.5cm x 9.5cm (20)	280-4912	CN	NH	LU	
	10cm x 12cm (20)	280-4839	CN	NH	LU	
Opsite® Post-op	All sizes	HOSP ONLY	X	X	X	Primary care alternatives are Tegaderm. See above.
Opsite® Post-op Visible	All sizes	HOSP ONLY	X	X	X	Not for SCFT or primary care use
A4.2.3 Soft polymer dressings						
Mepilex® Border Comfort	7cm x 7.5cm (10)	407-4415	CN	NH	LU	Use for medium – high exuding small/ medium size wounds
	10cm x 10cm (10)	407-4423				
	12.5cm x 12.5cm (10)	407-4431				
	15cm x 15cm (10)	407-4449				
Mepilex® Border Lite	4cm x 5cm (10)	317-7011	CN	X	LU	Use for medium exuding small/ medium size wounds
	7.5cm x 7.5cm (5)	371-7037				
	10cm x 10cm (5)	317-7045				
Mepilex® Lite	6cm x 8.5cm (5)	303-5565	CN	X	LU	Use for medium exuding small/ medium size wounds
	10cm x 10cm (5)	303-5573				

	Available to buy Over The Counter. See policy statement for more info.	Non-Specialist Drugs	Specialist Initiation WITHOUT Shared Care Guidelines	Specialist Initiation WITH Shared Care Guidelines	Specialist ONLY Drugs
KEY: CN = Community Nurse, NH = Nursing Home, CN / NH / LU = TVN approval needed, LU = Leg Ulcer Clinic, X Specialist Only, X Non-formulary					

A4.2.4 Hydrocolloid dressings						
Use a thin hydrocolloid to maintain a moist environment in light exudate, granulating or epithelialising wounds.						
DuoDERM® Extra Thin	10cm x 10cm (10)	027-7897	CN	NH	LU	Use for dry / necrotic wounds. Lining the edge of wounds using TNP or PICO as instructed. Not for use on diabetic or arterial disease.
Hydrocolloid dressings for cavity packing						
Biatain® Alginate	5cm x 5cm (30) 10cm x 10cm (10) 15cm x 15cm (10) 3cm x 44cm (6)	377-6747 377-6754 377-6762 377-6770	CN	NH	LU	Only approved for use in Brighton and Hove as 1st line.
KerraCel™	5 x 5cm (10) 10 x 10cm (10) 15 x 15cm (5) 2.5 x 45cm (5)	402-0517 402-0525 402-0533 402-0541	CN	NH	LU	For use in high exuding wound and to pack cavities. Will require a secondary dressing.
Aquacel® Extra	5cm x 5cm (10) 10cm x 10cm (10) 15cm x 15cm (5) 1cm x 45cm (5) 2cm x 45cm (5)	367-3282 367-3290 367-3308 361-5978 240-8565	CN	NH	LU	Use for high exuding wounds and to pack cavities.
			CN	NH	LU	
			CN	NH	LU	
			CN	NH	X	
			CN	NH	X	
A4.2.5 Foam dressings						
Use an adhesive or non-adhesive foam to maintain a moist environment in light - medium exudate or granulating wounds. Additional packing with KerraCel or Aquacel is only required if there is depth to the wound which requires filling in.						
Tegaderm® Foam Adhesive	10cm x 11cm (10)	304-1589	CN	NH	LU	Oval
Biatain® Silicone	7.5cm x 7.5cm (10) 10cm x 10cm (10) 12.5 x 12.5cm (10) 15cm x 15cm (5) 17.5cm x 17.5cm (5)	353-3817 356-9811 353-3825 353-3833 353-3841	CN	NH	LU	Adhesive border. Use for medium exuding, small to medium size wounds.
			CN	NH	LU	
			CN	NH	LU	
			CN	NH	LU	
			CN	NH	LU	
Biatain® Silicone Lite	7.5cm x 7.5cm (10) 10cm x 10cm (10) 12.5cm x 12.5cm (10)	380-6304 380-6312 380-6320	CN	NH	LU	Adhesive border. Use for light exuding, small to medium size wounds.
Biatain® Soft-Hold	5cm x 7cm (5) 10cm x 10cm (5) 15cm x 15cm (5) 10cm x 20cm (5)	349-6059 320-0151 320-0117 320-0169	CN	NH	LU	Adhesive border. Use for medium exuding, small to medium size wounds.
			CN	NH	LU	
			CN	NH	LU	
			CN	X	LU	
Lyof foam® Max	7.5cm x 8.5cm (10) 10cm x 10cm (10)	367-8778 367-8786	CN	NH	LU	Use to reduce over-granulating tissue initially, and then consider topical steroid fludrocortide tape or caustic pencil with the input of Tissue Viability.
Aquacel® Foam Adhesive	8cm x 8cm (10) 8cm x 13cm (10) 10cm x 10cm (10) 10cm x 20cm (10) 12.5cm x 12.5cm (10)	378-1820 394-3800 370-2784 395-0851 370-2792	CN	NH	LU	Has a hydrofiber (Aquacel) contact layer so is only suitable for moderate to highly exuding wounds.
KerraFoam® Gentle Border	All sizes	HOSP ONLY	X	X	X	Not for SCFT or Primary care use.

 Available to buy Over The Counter. See policy statement for more info.	Non-Specialist Drugs	Specialist Initiation WITHOUT Shared Care Guidelines	Specialist Initiation WITH Shared Care Guidelines	Specialist ONLY Drugs
KEY: CN = Community Nurse, NH = Nursing Home, CN / NH / LU = TVN approval needed, LU = Leg Ulcer Clinic, X Specialist Only, X Non-formulary				

A4.2.5 Foam dressings continued						
PolyMem®	8cm x 8cm (15) 10cm x 10cm (15) 13cm x 13cm (15)	326-9511 326-9503 326-9522	CN	NH	LU	Non-adhesive membrane pad. TVN approval needed for use outside a specialised clinic.
Allevyn® Gentle Border	All sizes	HOSP ONLY	X	X	X	Primary care alternatives are Biatain® Soft-Hold. See above.
Allevyn® non-adhesive	All sizes	HOSP ONLY	X	X	X	Primary care alternatives are Biatain® Non-Adhesive. See above.

A4.2.6 Alginate dressing

Kaltostat®	5cm x 5cm (10) 7.5cm x 12cm (10)	007-0789 022-7033	CN	NH	LU	Use to control bleeding. Licensed for its haemostatic properties.
------------	-------------------------------------	----------------------	----	----	----	---

A4.2.7 Capillary-action dressings

Not recommended. Please contact the Tissue Viability Service if you wish to use.

A4.2.8 Odour absorbent dressings

To control odour, especially in fungating wounds, use a charcoal dressing or topical antimicrobial gel

CarboFlex®	All sizes	HOSP ONLY	X	X	X	Not for use in SCFT or Primary care.
CliniSorb®	10cm x 10cm (10)	018-2667	CN	NH	LU	Secondary dressing – odour control dressing of choice. Place in the outer layers of the dressing to absorb the odour.
	10cm x 20cm (10)	018-2857	CN	NH	LU	
	15cm x 25cm (10)	018-2873	CN	X	LU	

A4.3 Antimicrobial dressings ([Back To Top](#))

Use to reduce bacterial load (in conjunction with systemic antibiotics) for wounds showing 3 or more signs of local or systemic infection, use silver/honey/iodine based dressings for up to 4 weeks only and refer to tissue viability service if not improving in this time.


A4.3.1 Honey

Activon® Tulle	5cm x 5cm (5) 10cm x 10cm (5)	304-0631 304-0623	CN	NH	LU	Replaced Manuka Dress IG as long term manufacturing issues. Honey in NA gauze for light to moderate exudating wounds TVN approval needed for use in a nursing home.
Algivon® Plus	2.5cm x 20cm (5)	374-4653	CN	NH	LU	Honey ribbon with probe. TVN approval needed for use in a nursing home.
Activon® Tube	25 g (12)	319-3729	CN	NH	LU	Liquid honey, single patient use. Can be stored opened for 2 weeks. Not for use on Arterial wounds or known Bee venom allergy. TVN approval needed for use in a nursing home.

A4.3.2 Iodine


Not for use on patients with end stage renal failure, hypothyroidism or on lithium medication. Maximum use of 4 weeks without specialist input.

Iodoflex® paste	5g 6cm x 4cm (5)	073-1547	CN	NH	LU	TVN approval needed for use in a nursing home.
	10g 8cm x 6cm (3)	014-9617	CN	NH	LU	
	17g 8cm x 10cm (2)	216-3269	CN	X	X	
Iodosorb® ointment	10g (4)	036-6658	CN	NH	LU	TVN approval needed for use in a nursing home.

 Available to buy Over The Counter. See policy statement for more info.	Non-Specialist Drugs	Specialist Initiation WITHOUT Shared Care Guidelines	Specialist Initiation WITH Shared Care Guidelines	Specialist ONLY Drugs
KEY: CN = Community Nurse, NH = Nursing Home, CN / NH / LU = TVN approval needed, LU = Leg Ulcer Clinic, X Specialist Only, X Non-formulary				

A4.3 Antimicrobial dressings continued (Back To Top)						
Use to reduce bacterial load (in conjunction with systemic antibiotics) for wounds showing 3 or more signs of local or systemic infection, use silver/honey/iodine based dressings for up to 4 weeks only and refer to tissue viability service if not improving in this time.						
Low adherence dressings						
Atrauman® Ag	5cm x 5cm (10)	321-4533	CN	NH	LU	TVN approval needed for use in a nursing home for the larger size.
	10cm x 10cm (10)	321-4541	CN	NH	LU	
	10cm x 20cm (10)	321-4517	CN	NH	LU	
Acticoat® Flex 3	5cm x 5cm (5)	351-0781	CN	NH	LU	TVN approval needed for use outside a specialised clinic.
Acticoat® Flex 7	5cm x 5cm (5)	351-0823	CN	NH	LU	TVN approval needed for use outside a specialised clinic.
Hydrofiber and Alginate dressings						
Biatain® Alginate Ag	5cm x 5cm (30)	346-9202	CN	NH	LU	1 st line silver alginate / hydrofibre dressing TVN approval needed for the larger size only.
	10cm x 10cm (10)	346-9186	CN	NH	LU	
	15cm x 15cm (10)	346-9160	CN	NH	LU	
	3cm x 44cm (10)	346-9152	CN	NH	X	
Aquacel® Ag + Ribbon	1cm x 45cm (5)	362-3808	CN	NH	X	
	2cm x 45cm (5)	292-6434	CN	NH	X	
Aquacel® Ag + Extra	5cm x 5cm (10)	386-2703	CN	NH	LU	TVN approval needed for the larger size only.
	10cm x 10cm (10)	386-2695	CN	NH	LU	
	15cm x 15cm (5)	386-2711	CN	NH	LU	
A4.3.4 Other antimicrobials						
Cutimed® Sorbact	7cm x 9cm (folded) (5) 17cm x 27cm (unfolded)	232-4333	CN	NH	LU	TVN approval needed for use in a nursing home
Cutimed® Sorbact Pads	7cm x 9cm (5)	232-4291	CN	NH	LU	TVN approval needed for use in a nursing home
Cutimed® Sorbact Gel	All sizes	HOSP ONLY	X	X	X	Not for use in SCFT or Primary care.
Prontosan® Wound Irrigation Solution	350ml (10)	324-8572	CN	NH	LU	TVN approval needed for use in a nursing home
Prontosan® Wound Gel	30ml (20)	324-8598	CN	NH	LU	TVN approval needed for use in a nursing home

A4.4 Specialised dressings (Back To Top)						
UrgoStart® Plus Pad	6cm x 6cm (10)	406-4432	CN	NH	LU	Podiatry or TVN approval needed For diabetic foot ulcers or leg ulcers as per NICE MTG42
	10cm x 10cm (10)	406-4440				
	15cm x 20cm (10)	406-4457				
UrgoStart® Plus Border	8cm x 8cm (10)	406-4390	CN	NH	LU	Podiatry or TVN approval needed For diabetic foot ulcers or leg ulcers as per NICE MTG42
	10cm x 10cm (10)	406-4408				
	13cm x 13cm (10)	406-4416				
	15cm x 20cm (10)	406-4424				
	20cm x 20cm (5) (sacrum)	406-4887				
UrgoStart® Contact layer	5cm x 7cm (10)	339-8971	CN	NH	LU	Podiatry or TVN approval needed For diabetic foot ulcers or leg ulcers as per NICE MTG42
	10cm x 10cm (10)	386-1390				
	15cm x 20cm (10)	386-1382				
All other specialised dressings are not recommended. Please contact the Tissue Viability Service if you wish to use.						

	Available to buy Over The Counter. See policy statement for more info.	Non-Specialist Drugs	Specialist Initiation WITHOUT Shared Care Guidelines	Specialist Initiation WITH Shared Care Guidelines	Specialist ONLY Drugs
KEY: CN = Community Nurse, NH = Nursing Home, CN / NH / LU = TVN approval needed, LU = Leg Ulcer Clinic, X Specialist Only, X Non-formulary					

A4.5 Adjunct dressings and appliances ([Back To Top](#))

A4.5.3 Physical debridement pads

DebriSoft®	10cm x 10cm (5)	358-1287	CN	NH	LU	Maximum use once a week unless advised otherwise by TVN. Use for debriding slough / biofilm from wound beds or thick skin scales from legs. TVN approval needed for use in a nursing home.
Debrisoft® Lolly	5cm x 2.7cm (5)	398-5124	CN	NH	LU	Maximum use once a week unless advised otherwise by TVN. Use for debriding slough / biofilm from wound beds or thick skin scales from legs. TVN approval needed for use in a nursing home.
Urgoclean (Urgo Medical)	All sizes	HOSP ONLY	X	X	X	Not for use in SCFT or Primary care.

A4.6 Complex adjunct therapies ([Back To Top](#))

A5.6.1 Topical negative pressure therapy **Only for use on patients in joint care with TVN service**

Renasys TNP

Renasys - G Small kit	Antimicrobial gauze 10cm x 10cm (1)	378-6431	CN	NH	LU	Small cavity wounds
Renasys - G Medium kit	Antimicrobial gauze 15cm x 17cm (1)	378-6449	CN	NH	LU	Larger wounds, dehisced abdomens.
Renasys - G Large kit	Antimicrobial gauze 11.5cm x 3.7m (1)	378-6456	CN	NH	LU	Very large dehisced wounds
Renasys - F Small kit	Foam size 10cm x 8cm x 3cm (1)	378-6720	CN	NH	LU	
Renasys - F Medium kit	Foam size 20cm x 12.5cm x 3cm (1)	378-6712	CN	NH	LU	
RenasysGO	300ml canister (1)	378-6415	CN	NH	LU	
Renasys adhesive gel patch	10cm x 7cm (10)	373-8036	CN	NH	LU	Adhesive strips for use in anatomical areas hard to maintain a seal on the TNP

P.I.C.O 7 TNP

PICO 7 dressing 10cm x 20cm	Pad size 5.6cm x 15cm (1)	407-4514	CN	NH	LU	
PICO 7 dressing 10cm x 30cm	Pad size 5.6cm x 25cm (1)	407-4506	CN	NH	LU	
PICO 7 dressing 15cm x 15cm	Pad size 10cm x 10cm (1)	407-4100	CN	NH	LU	
PICO 7 dressing 15cm x 20cm	Pad size 10cm x 15cm (1)	407-4530	CN	NH	LU	
PICO 7 dressing 20cm x 20cm	Pad size 15cm x 15cm (1)	407-4498	CN	NH	LU	
PICO 7 Multisite dressing 15cm x 20cm	Pad size (Figure of 8 shape) 5.9cm x 7.9cm (1)	407-5214	CN	NH	LU	Specific for areas such as heels, elbows or anatomical curves.
Foam wound dressing (filler)	10cm x 12.5cm (5)	375-8661	CN	NH	LU	For use with PICO dressings if wound has a cavity.



Available to buy Over The Counter. See [policy statement](#) for more info.

Non-Specialist Drugs

Specialist Initiation WITHOUT Shared Care Guidelines


Specialist Initiation WITH Shared Care Guidelines

Specialist ONLY Drugs


KEY: **CN** = Community Nurse, **NH** = Nursing Home, **CN / NH / LU** = TVN approval needed, **LU** = Leg Ulcer Clinic, **X** Specialist Only, **X** Non-formulary

A4.7 Wound care accessories (Back To Top)						
A4.7.1 Dressing packs						
Nurse it®	S (10) M/L (10)	351-2407 336-9170	CN	NH	LU	Only one dressing pack should be used per wound dressing. If additional gauze is required please order the sterile gauze separately to use.
A4.7.2 Woven and fabric swabs						
Gauze Swab Type 13	7.5cm x 7.5cm (20x5) 10cm x 10cm (100)	319-0253 028-1972	CN	NH	LU	Sterile Non-Sterile
A4.7.3 Surgical adhesive tapes						
Hypafix®	5cm x 10m (1)	035-2047	CN	NH	LU	
	10cm x 10m (1)	038-6326	CN	NH	LU	
	15cm x 10m (1)	038-6334	CN	NH	LU	
Clinipore®	1.25cm x 5m (1)	299-0091	CN	NH	LU	
	2.5cm x 5m (1)	299-0109	CN	NH	LU	
	5cm x 5m (1)	299-0117	CN	NH	LU	
Siltape (Advancis)	All sizes	HOSP ONLY	X	X	X	Not for SCFT or primary care use
Mefix®	All sizes	HOSP ONLY	X	X	X	Primary care alternatives are Hypafix®. See above.
3M® Blue gentle tape	All sizes	HOSP ONLY	X	X	X	Not to be prescribed in primary care. Refer back to specialist if asked to prescribe.
A4.7.5 Skin closure dressings						
Steri-strip®	All sizes	HOSP ONLY	X	X	X	Not to be prescribed in primary care.

A4.8 Bandages (Back To Top)						
A4.8.3 Tubular bandages and garments						
Comfast®	5cm x 5m Green (1)	289-1828	CN	NH	LU	TVN approval needed for use in a nursing home.
	7.5cm x 5m Blue (1)	289-1836	CN	NH	LU	
	10.75 x 5m Yellow (1)	289-1844	CN	NH	LU	
	17.5 x 1m Beige (1)	289-1786	CN	NH	LU	
Tubifast®	All sizes	HOSP ONLY	X	X	X	Not for SCFT or primary care use
Comfigrip™	8.75cm x 1m E (1)	289-1893	CN	NH	LU	TVN approval needed for use in a nursing home.
	10cm x 1m F (1)	289-1877	CN	NH	LU	
	12cm x 1m G (1)	289-1885	CN	NH	LU	
Surgifix® Tubular dressing	All sizes	HOSP ONLY	X	X	X	Not for SCFT or primary care use
Eesiban	7.5cm x 5m (1)	044-4778	CN	NH	LU	Cotton stockinette for use under compression bandaging to reduce contact allergins.
	10cm x 5m (1)	044-5809	CN	NH	LU	
	15cm x 5m (1)	044-8118	CN	NH	LU	


	Available to buy Over The Counter. See policy statement for more info.	Non-Specialist Drugs	Specialist Initiation WITHOUT Shared Care Guidelines	Specialist Initiation WITH Shared Care Guidelines	Specialist ONLY Drugs
KEY: CN = Community Nurse, NH = Nursing Home, CN / NH / LU = TVN approval needed, LU = Leg Ulcer Clinic, X Specialist Only, X Non-formulary					

A4.8.4 Support bandages						
Hospicrepe® 239	5cm x 4.5cm (10)	258-9224	CN	NH	LU	Crepe Can be used for light support
	10cm x 4.5cm (12)	258-9208	CN	NH	LU	
	15cm x 4.5cm (12)	258-9190	CN	NH	LU	
Setocrepe®	10cm x 4.5m (1 or 10)	255-3600	CN	NH	LU	Crepe TVN approval needed for use in a nursing home.
K-Lite®	10cm x 4.5m (1 or 16) 10cm x 5.2m (16)	239-3635 325-7110	CN	NH	LU	Consider ordering the longer length for the bigger leg.
K-Plus®	10cm x 8.7m (1 or 24) 10cm x 10.25m (1)	248-1232 325-7201	CN	X	LU	Can be used to provide reduced compression. Always applied in a figure of 8 pattern from the level of the ankle. Consider ordering the longer length for the bigger leg.
A4.8.7 Compression bandages						
High compression bandages						
Tensopress®	10cm x 3m(1)	043-5891	CN	X	LU	Single layer compression providing 40mmHG compression. Only suitable for ankle circumferences greater than 18cm
K-ThreeC®	10cm x 3m(1)	342-4975	CN	X	LU	Provides full 40mmHg compression on its own. Used in K4 – 25-30 and 30+ kits to apply increased pressure to the larger limb.
Short stretch compression bandage						
Actico®	10cm x 6m(1)	271-5431	CN	X	LU	Cohesive short stretch bandaging.
Rosidal K®	10cm x 5m (1) 10cm x 10m (1)	214-5902 305-1794	CN	X	LU	Non cohesive, cotton short stretch bandage suitable for patients with allergies. Packs of 2 for use by Leg Ulcer Clinic only
Sub-compression wadding bandage						
K-Soft®	10cm x 3.5m(1 or 24) 10cm x 4.5m(1)	266-8374 325-7177	CN	NH	LU	Consider ordering the longer length for the bigger leg
Softban	All sizes	HOSP ONLY	X	X	X	Primary care alternatives are K-Soft. See above.


	Available to buy Over The Counter. See policy statement for more info.	Non-Specialist Drugs	Specialist Initiation WITHOUT Shared Care Guidelines	Specialist Initiation WITH Shared Care Guidelines	Specialist ONLY Drugs
KEY: CN = Community Nurse, NH = Nursing Home, CN / NH / LU = TVN approval needed, LU = Leg Ulcer Clinic, X Specialist Only, X Non-formulary					

A4.8.8 Multi-layer compression bandages						
Measure ankle circumference to ensure correct kit is chosen.						
Four layer systems						
Ko-Flex®	10cm x 6m (1) 10cm x 7cm (1)	266-8366 325-7151	CN	X	LU	Can be used for providing reduced compression. Consider ordering the longer length for the bigger leg.
K-Four®	< 18cm (1) 18cm - 25cm (1) 25cm - 30cm (1) > 30cm (1) *18cm+ (1)	342-5089 266-8382 342-5113 324-5147 342-5063	CN	X	LU	Please measure the ankle circumference at each bandage application to ensure you have the correct kit size. *Reduced compression
Two layer systems						
UrgoKTwo®	18cm - 25cm (1) 25cm - 32cm (1) *18cm - 25cm (1) *25cm - 32cm (1)	327-4685 333-8480 360-2869 360-2877	CN	X	LU	Please measure the ankle circumference at each bandage application to ensure you have the correct kit size.
A4.8.9 Medicated bandages						
Viscopaste PB7	7.5cm x 6m (1)	033-2734	CN	X	LU	Do not apply in a spiral bandage application.
Ichthopaste®	7.5cm x 6m (1)	033-2668	CN	X	LU	Do not apply in a spiral bandage application.


A4.9 Compression hosiery and garments (Back To Top)						
Acti-Glide® Applicator	One Size (1)	284-5196	CN	NH	LU	TVN approval needed for use in a nursing home.
Activa® Closed Toe	Small	326-9750	CN	NH	LU	Compression liner pack (pack contains 3 liners – 10mmHg). Sand. TVN approval needed for use in a nursing home.
	Medium	326-9768				
	Large	326-9776				
	X Large	326-9784				
XX Large	326-9792					
Activa® Open Toe	Small	340-3557	CN	NH	LU	Compression liner pack (pack contains 3 liners – 10mmHg) TVN approval needed for use in a nursing home.
	Medium	340-3565				
	Large	340-3573				
	X Large	340-3581				
XX Large	340-3599					

	Available to buy Over The Counter. See policy statement for more info.	Non-Specialist Drugs	Specialist Initiation WITHOUT Shared Care Guidelines	Specialist Initiation WITH Shared Care Guidelines	Specialist ONLY Drugs
KEY: CN = Community Nurse, NH = Nursing Home, CN / NH / LU = TVN approval needed, LU = Leg Ulcer Clinic, X Specialist Only, X Non-formulary					

A4.10 Wound cleansing, skin products and other (Back To Top)						
Wound cleansing						
Sal-E-Pod	20ml (25)	373-0892	CN	NH	LU	
Skin protection						
Zerolon Barrier Cream	28g (1) 92g (1)	407-6014 407-5941	CN	X	X	Apply only a small amount at every 3 rd toileting session.
Medi Derma-S Barrier Cream	2g sachets (20)	341-3317	X	NH	LU	Apply only a small amount at every 3 rd toileting session.
Medi Derma-S Non Sting Barrier Film	1ml (5) 3ml (5)	362-8716 362-8724	CN	X	LU	Apply every 72 hours only.
			CN	X	X	
Cavilon® No Sting Barrier Film	All sizes	HOSP ONLY	X	X	X	Not for SCFT or primary care use.
Cavilon No sting barrier cream	All sizes	HOSP ONLY	X	X	X	Not for SCFT or primary care use
Proshield® Plus Skin Protectant	115g (1)	359-8760	CN	X	LU	Apply small amount as a barrier cream. Apply a liberal amount if treating skin damage due to moisture. TVN approval needed
Proshield® Foam & Spray Cleanser	235mls (1)	359-8752	CN	X	LU	To be used to clean skin suffering from severe moisture damage only
Anti-microbial wash additive						
Dermol 500® (lotion)	500ml (1)	232-2808	CN	X	LU	Use for dry eczematic skin
Dermol 600® (oil)	600ml (1)	264-3443	CN	X	LU	Use for washing skin suffering from dry eczema
Emollients						
50/50 liquid/white soft paraffin ointment	500g (1)	108-9424	CN	X	LU	Use for eczema.
Aproderm Colloidal Oat Cream	500mls (1)	401-1771	CN	X	LU	TVN approval needed for patients with paraffin allergy or who smoke due to increased risk of fire accelerant.
Cetraben	150g (1)	327-0543	CN	X	LU	Use for eczema.
	500g (1)	283-1006				
Dermatonics Once Heel Balm	75ml (1)	344-9618	CN	X	LU	

	Available to buy Over The Counter. See policy statement for more info.	Non-Specialist Drugs	Specialist Initiation WITHOUT Shared Care Guidelines	Specialist Initiation WITH Shared Care Guidelines	Specialist ONLY Drugs
KEY: CN = Community Nurse, NH = Nursing Home, CN / NH / LU = TVN approval needed, LU = Leg Ulcer Clinic, X Specialist Only, X Non-formulary					

Other products						
Appeel® sterile liquid sachet	5ml sachets (10)	HOSP ONLY	X	X	X	Not to be prescribed in primary care. Refer back to specialist if asked to prescribe
Appeel Adhesive remover wipes	Individual sachets (30)	311-6571	CN	NH	LU	For the gently removal of adhesive dressings to reduce skin trauma and pain.
HeelPro	One size	409-1476	X	NH	X	TVN approval needed for nursing home patients
Devon Foam Foot and Heel protector (Booties)	1 pair	394-2018	CN	NH	LU	Should only be used after first line measures such as turning have been tried for the prevention for intact skin vulnerable to pressure ulcers.
Devon Foam Utility pad	Pack of 2	394-2026	CN	NH	LU	Should only be used after first line measures such as turning have been tried for the prevention for intact skin vulnerable to pressure ulcers.

	Available to buy Over The Counter. See policy statement for more info.	Non-Specialist Drugs	Specialist Initiation WITHOUT Shared Care Guidelines	Specialist Initiation WITH Shared Care Guidelines	Specialist ONLY Drugs
KEY: CN = Community Nurse, NH = Nursing Home, CN / NH / LU = TVN approval needed, LU = Leg Ulcer Clinic, X Specialist Only, X Non-formulary					